

EN

Special offer
International

haupa[®]

LIGHTING PROGRAMME

2024

Torches
Head lamps
Floodlight
LED light strips



haupa.com

Industrial Quality

Quite delightful



WE'LL BRING LIGHT INTO THE DARK

Work lights by HAUPA

The right workplace lighting is the be-all and end-all on the construction site. It creates more pleasant working conditions, more safety at work and is easy on your eyes.

Our range of work lights includes a variety of flashlights, headlamps, construction lights and LED strip lights. From the compact 1 watt Pen Torch to the 300 watt LED strip light HUPlightStripe25 - we have the right product for every application.



LED Pen Torch

- Illumination range: 50 m
- 50 Lm
- LED 1 Watt CREE
- With clip
- 2xAAA batteries

LED 1W CREE	Ø 14 x 143 mm	50 Lm	Lifetime 30000 h
Aircraft Grade Aluminium	50 m	IP54	2xAAA

Art. no. 130328

TL: 14 x 143 mm



LED flashlight, HUPflash120

- Compact pin form
- With magnetic holding clip
- Main and inspection light

Perfect for both industrial and trade applications. The rechargeable penlight has two light sources: at the head and on the side. The penlight comes with a USB-C charging cable.

Each penlight is equipped with a magnetic clip, allowing you to easily attach the lamp to any magnetic surface. The flexible use combined with the compact size makes this penlight very practical for professional use by mechanics, craftsmen, technicians, and others.

120 Lm	169 x 18 x 16mm	USB-C Charge cable included
CRI 90	5000 K	Class III
95°	IK07	-10°C - 35°C
3.7V 600mAh 2.22Wh	2-4h 3h charge time	120lm
70m spot	Magnetic	



Art. no. 130388

159 x 18 x 16 mm



haupa

... convincing solutions

LED flashlight, HUPflash800

Art. no. 130382

97 x 30,5 x 21 mm

- Streamlined and compact design
- Strong magnets
- Versatile

Our mini flashlight, specially designed to meet your lighting needs, features three different modes: High mode 500 lumen, Low mode 100 lumen, and Top-LED mode for 150 lumen, as well as the Boost mode: Unleashes a powerful 800 lumen boost by pressing and holding the button (3s).

With its sleek, compact design, aluminium housing, and features such as a base and a clip magnet, it effortlessly adapts to your needs and is ideal for use in industrial and trade applications.

The reliable battery lasts approximately 1.5 hours, eliminating the need for frequent recharging or battery replacement.

Experience simplicity through one-button functionality and efficient charging, ensuring your mini flashlight is always ready for the next job.

800 Lm	97 x 30,5 x 21mm	USB-C Charge cable Included
CRI 90	6500 K	Class III
62°	IPX5	-0°C - 40°C
3.7V 1200mAh 4.44Wh	10h @ 100lm 2h charge time	100m + 500m
800lm boost	100lm spot	Magnetic



haupa.com

Germany: HAUPA GmbH & Co. KG, Lange Str. 40, D-42857 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, E-mail: sales@haupa.com
Prices upon request. Errors and technical changes reserved.

LED flashlight, HUPflash1000

- Rechargeable
- Dimmable
- Zoom function

This flashlight is your compact partner for any application where professional lighting is needed.

The flashlight features Twist-Focus technology, allowing you to adjust the light beam by twisting the head. The button enables dimming from 100%, to 50%, and 25%. Enjoy flicker-free, cool white light that reaches up to 100 meters.

Waterproof (IPX7) and powered by a rechargeable lithium-ion battery via a supplied USB cable (USB-C). The battery is a standard commercial cell (18650) and can be easily replaced.

1000 Lm	Ø35 152mm	kg 168 g	USB-C Charge cable included	Lifetime 50000 h
CRI 90	6500 K	60°	IPX7	200m
Class III	3.7V 2200mAh 8.14Wh	3-12h	-10°C - 40°C	100 % 50 % 25 %

Art. no. 130384

Ø 35 x 152 mm



LED flashlight, HUPflash300

- Splashwater protected
- Dimmable
- Zoom function

This flashlight is your compact partner for any application where professional lighting is needed.

The flashlight features Twist-Focus technology, allowing you to adjust the light beam by twisting the head. The button enables dimming from 100%, to 50%, and 25%. Enjoy flicker-free, cold white light that reaches up to 100 meters.

The flashlight is splash-proof and powered by three AAA batteries (not included).

300 Lm	Ø34 124mm	kg 102 g	Lifetime 50000 h	200m
CRI 90	6500 K	Class III	120°	IPX4
3X AAA not included	1-10h	100 % 50 % 25 %	-10°C - 60°C	

Art. no. 130390

Ø 34 x 124 mm



haupa

... convincing solutions

Keep everything in sight



LED charging station HUPlightWLcharger

Art. no. 130376

265 x 110 x 29 mm

- Charges two devices simultaneously
- Works with compatible mobile phones
- IK08 impact resistance
- Strong magnets on back side enable easy mounting on magnetic surfaces and integrated screw holes for permanent mounting

Specifications:

- Material: ultra-hard nylon, aluminium, rubber, PC and TPE
- Power adapter: Input: 100 - 240 V \sim 50/60 Hz, 0.8 A
Output: 5 V DC, 3.0 A 20 W max.
USB charging cable: USB-C to USB-C x 1 m
- When charging with the wireless pad:
Charge time: approx. 3.0 - 8.0 hours depending on battery pack - the ambient temperature affects the charge and discharge time of the battery
- Operating temperature: -5°C to +30°C
- Charging station dimensions: 265 x 110 x 29 mm
- Net weight: 330 g (not including packaging)

Contents:

- USB power adapter:
Input: 100 - 240 V \sim , 50/60 Hz, 0.8 A
Output: 20 W, 5 V DC 3.0 A
- USB charging cable: USB-C to USB-C x 1 m



haupa®

... convincing solutions

LED work lamp HUPlightWL1000

Art. no. 130374

72 x 40 x 92 mm

- Supports wireless charging (charging station HUPlightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 1,000 lumens COB-LED
- Super bright spot LED with 300 lumens
- Stand with magnetic base rotates 160 degrees
- Battery status and charging indicators
- Protection class IP65
- IK08 impact resistance

Specifications:

- Main LED: 10 W COB 1,000 LM;
Spot LED: 3 W 300 LM
- Ultra-hard nylon, aluminium, PC, TPE and Fe
- Battery Li-Ion 3.7 V/2,500 mAh, rechargeable
- Power adapter: Input: 100 – 240 V~, 50/60 Hz, 0.8 A
Output: 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 2 hours (charging station HUPlightWLcharger approx. 3.5 hours)
- Operating time: 3 – 12 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 72 x 40 x 92 mm
- Net weight: 210 g (not including packaging)

Contents:

- USB charging cable: USB-C to USB-C x 1 m



LED 10+3 W	300/ 1000 Lm
CRI Ra≥90	
	Akku Li-Ion 2500 mAh 3.7 V
USB-C	USB 2 h 3.5 h
IP65	IK 08
kg 210 g	CRI 90



LED work lamp HUPlightWL900

Art. no. 130372

47 x 48 x 192 mm

- Supports wireless charging (charging station HUPlightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 900 lumens COB-LED
- Head rotates 180 degrees
- Focus function, beam angle 20° to 110°
- Luminous range: max. 200 m
- With strong magnetic base
- Battery status and charging indicators
- Protection class IP54
- IK08 impact resistance

Specifications:

- LED: 10 W 900 LM
- Ultra-hard nylon, aluminium, PC, TPE and Fe
- Battery Li-Ion 3.7 V/2,500 mAh, rechargeable
- Power adapter: Input: 100 – 240 V~, 50/60 Hz, 0.8 A
Output: 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 2 hours (charging station HUPlightWLcharger approx. 3.5 hours)
- Operating time: 3 – 12 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 47 x 48 x 192 mm
- Net weight: 270 g (not including packaging)

Contents:

- USB charging cable: USB-C to USB-C x 1 m



LED 10W	225/ 450/ 900 Lm
CRI Ra ≥ 90	
Akku Li-Ion 2500 mAh 3.7V	
IK 08	

haupa®

... convincing solutions

LED inspection lamp HUPlightWL1500

Art. no. 130370

77 x 171 x 41 mm

- Supports wireless charging (charging station HUPlightWLcharger Art. 130376)
- Colour reproduction 90 CRI
- Super bright 1500 lumens COB-LED lamp
- Super bright spot LED with 300 lumens
- Integrated hook - lamp/torch can be positioned in a wide range of angles
- Battery status and charging indicator
- Powerful magnet on the back for hands-free work
- Protection class IP65
- IK08 impact resistance

Specifications:

- LED: 15 W COB SUPERWHITE + 3 W LED
- Lumens: main light 15 W, 1,500 Lm; spot LED 3 W, 300 Lm
- Material: Ultra-robust nylon, aluminium, PC, rubber and TPE
- Battery Li-Ion 3.7 V/4400 mAh, rechargeable
- Power adapter: Input: 100 - 240 V~, 50/60 Hz, 0.8 A
Output: PD 20 W, 5 V DC, 3.0 A, 20 W max.
- USB charging cable: USB-C to USB-C x 1m
- Charging time: approx. 3.5 hours (charging station HUPlightWLcharger approx. 6 hours)
- Operating time: 3.0 - 14.0 hours
- Operating temperature: -5°C to +45°C
- Lamp dimensions: 77 x 171 x 41 mm
- Net weight: 400 g (not including packaging)

Contents:

- USB charging cable: USB-C to USB-C x 1 m



LED 15+3 W	300/ 900/ 1500 Lm
CRI Ra≥90	
	Akku Li-Ion 4400 mAh 3.7V
USB-C	USB 3,5 h 6 h
IP65	IK 08
kg 400 g	CRI 90



LED inspection lamp HUPlight400

- White SMD main LED with 400 Lumens on the front side
- Secondary rear 200 Lumens white SMD-LED
- Additional upper spot - 120 Lumens white SMD-LED
- Extremely rugged design made of nylon and aluminium
- 200° vertically foldable head with super-strong magnetic base
- Loop and hanging system for easy use
- Two strong magnets on the back of the lamp
- IK07 super rugged, impact resistant design
- Large reflector SMD LED
- 5 V charging system for charging the battery
- Integrated USB-C charging port with protective cover
- 1 A direct USB-C charging - 2 hours charging time
- 1 m USB-C charging cable included

Specifications:

- Lithium 3.7 V, 800 mAh, rechargeable
- LED: Front side main 3 W, SMD LED 400 Lm, CRI 90
Back side 1.5 W, SMD LED 200 Lm, CRI 90
Spot 1 W, SMD LED, 120 Lm, CRI 90
- Ambient temperature: -10°C - +45°C
- Operating time: 3 h to 6 h for main LED in front
6 h for rear LED
6 h for spot LED
- Dim switch for the front main LED: 100% - 50%
- Charging time: approx. 2.5 h
- Protection class: III
- USB-C input for charging: 5 V, 1000 mA

Art. no. 130378

Length: 162 mm



LED
3+1,5
+1 W

120/
200/
400 Lm

CRI
Ra≥90



Akku
Li-Ion
800 mAh
3.7V



2.5h



kg
90g



haupa®

... convincing solutions

Better illuminated



[haupa.com](https://www.haupa.com)

Germany: HAUPA GmbH & Co. KG, Lange Str. 40, D-42857 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, E-mail: sales@haupa.com
Prices upon request. Errors and technical changes reserved.

LED Renovation Light HUPlightEasy

Art. no. 130380

5 pcs., Ø 60 x 100 mm

The Renovation Light HUPlightEasy is the quick, affordable, and uncomplicated solution for illuminating construction sites, vacant apartments, storage rooms, etc.

- Impact-resistant polycarbonate housing
- Spring clips
- Lifespan 25,000 hours
- Renovation light including built-in LED bulb with opal diffuser
- Emits neutral white light
- Beam angle of 160 degrees
- 14 cm connection cable, hanger, and spring clip for easy and fast installation without tools
- Lamp body made of impact-resistant polycarbonate and withstands fall heights of up to 2.5 m
- Suitable for use at temperatures from -20 to 45°C.

Note: Renovation light is NOT intended for installation in luminaries.

Contents: 5 pieces

1200 Lm	Ø60 100mm	LED 10W
CRI 90	4000 K	A60 OPAL
160°	Lifetime 25000 h	kg 80 g
-20°C - 45°C	14cm cable push connector	10W = 75W
	2.5m	



5x



haupa®

... convincing solutions

Dust-tight, splash-proof



LED construction site lamp HUPlight5200hybrid

Art. no. 130386

389 x 342 x 140 mm

- Compatible with 18 V battery systems from Bosch (AMP Share), Makita, Milwaukee, DeWalt, and CAS (Metabo), corresponding adapters included
- 230 V AC or 18 V DC operation with emergency light function
- Designed and certified for use on construction sites, both indoors and for temporary outdoor use

This versatile hybrid (230 V & battery) work light is specially designed for professional craftsmen, mechanics, and construction workers who are often on the go. It comes equipped with a battery holder suitable for 18 V batteries from **HAUPA, Makita, Dewalt, Milwaukee, Bosch (AMP Share), Metabo (CAS)**.

The corresponding adapters are included, eliminating the need to purchase an additional battery system.

The work light is dimmable in two stages (50%, 25%), has a cool white colour temperature (5,000 K), and a colour rendering index of RA >90. The operating time ranges from 2.5 to 9 hours (based on an 18 V/5 AH battery), depending on the selected light output mode. The opal diffuser reduces glare from the 5,200 lumen strong light source and ensures homogeneous illumination of the workplace.

The housing and front diffuser are made of impact-resistant polycarbonate (IK08). The light is dust and splashwater protected thanks to the sturdy battery cover (IP54).

This work light is equipped with technology that prevents overheating and deep discharge of the battery.

The batteries must be charged with the manufacturers' charging stations and are not included.

In addition to batteries, the work light can also be powered by the included 5 m long connection cable H07RN-F 3G 1.5 mm². This work light is equipped with a socket (max. 3000 W), allowing the connection of another light, power tool, or other device,

eliminating the need for additional extension cords.

Safety: In the event of a power outage, this work light automatically switches to battery operation within approximately 0.5 seconds,

ensuring you never sit in the dark and minimizing the risk of injuries and damage.



LED 40W DC mode 47W AC mode	389 x 342 x 140mm	120°	kg 3550 g
5200 Lm	5000 K	-20°C - 45°C	Cable holder
IP54	Lifetime 50000 h	BGI K2	3Step DIM 100% 50% 25%
>IK08	CRI 90	Output 5V 2A Powerbank	DC mode 11 to 21 VDC 2.3A AC mode 230 V 50/60Hz 15 A 3000W 225mA
4 permanent battery adapters included	1 x Socket 3000W max	H07RN-F1.5mm ² 5m	Class I



haupa®

... convincing solutions

FOR A GOOD OVERALL VIEW


Work safely thanks to the higher colour rendering index CRI



We all know the problem... Poorly lit work areas - the colours of the individual wires in the cables are hard to differentiate. Now HAUPA has the solution: work lights and compact spots with a higher colour rendering index CRI.

The new lamps have a CRI of 90. In comparison: daylight has a value of 100. This makes colours more natural and much easier to distinguish thanks to the higher brilliance.

The result: improved safety for professionals at work. The colours are easier to recognise and work can be performed much faster.



CRI 90 makes the difference. Conventional work lamps have a CRI of 75.



Mini working light HUPlight4

- Rechargeable battery, lithium-ion ,1800 mAh 3.7 V
- LED 4 Watt
- Approximately 200 Lumen lighting performance
- Approximately 3 hours lighting performance
- Lamp may be charged using the micro USB port
- Stand may be angled
- Dual magnetic bracket
- Hook for securing and hanging
- Can be used and carried everywhere

LED 4W	120 x 60 x 25 mm	200 Lm	Lifetime 30000 h	Akku Li-Ion 1800 mAh 3.7V
ABS	IP54	100-240V AC 12-24V DC	 	 

Art. no. 130336

LED 4 Watt



LED working light HUPlight10+3

- Integrated Li-Ion 3.7V / 6.7Ah battery
- 10 watt + 3 watt LED
- High-quality plastic housing
- For use inside and out, splashproof acc. to IP54
- Extremely bright illumination, 7000K colour temperature
- 220 Lm (3W LED) + 800 Lm (10W LED) luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time
 - 10W LED: - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
 - 3W LED: - Approx. 12 hours with 100% light output
 - Approx. 24 hours with 50% light output
- 3.5 hours charging time using power unit supplied
- Charger: 100 - 240 V AC plug-in power supply (5V/2A DC)
- 12V KFZ charging cable
- Adjustable magnetic stand
- With hook for hanging
- With belt clip

LED 10+3 W	220 x 57 x 40 mm	800 + 220 Lm	Lifetime 30000 h	Akku Li-Ion 6700 mAh 3.7V	100-240V AC 12-24V DC
IP54		 			  7000K

Art. no. 130348

LED 10 W + LED 3 W



360° View




haupa

... convincing solutions

LED Headlight HUPflash155

- 3 W COB LED
- Material: ABS, PC
- Luminosity 155 Lm
- Colour reproduction 90 CRI
- Battery-powered (3 x AAA included in the scope of delivery)
- Variable light intensity, 50% | 100%
- Operating time:
 - approx. 2.5 hours at 100% light intensity
 - approx. 4 hours at 50% light intensity
- Very easy-to-balance headlamp
- Automatically switches on and off, thanks to special sensor technology
- Easy to operate e.g. when wearing protective gloves
- Headband with silicone strips for secure fastening to work helmets
- Dimensions: 60 x 45 x 38 mm, weight: 49 g (without batteries)




Art. no. 130319

TL: 60 x 45 x 38 mm



LED Headlight HUPflash155+

- 3.7 V 1200 mAh lithium polymer battery
- 3 W COB LED
- Material: ABS, PC
- Light intensity 155 Lm
- Colour reproduction 90 CRI
- Variable light intensity, 50% | 100%
- Operating time:
 - approx. 2.5 hours at 100% light intensity
 - approx. 4 hours at 50% light intensity
- Charging cable (micro USB) included in the scope of delivery
- Charging time approx. 4 hours
- Very easy-to-balance headlamp
- Automatically switches on and off, thanks to special sensor technology
- Easy to operate e.g. when wearing protective gloves
- Headband with silicone strips for secure fastening to work helmets
- Dimensions: 60 x 45 x 38 mm
- Weight: 73 g



Art. no. 130321

TL: 60 x 45 x 38 mm



LED head lamp HUPflash250

Art. no. 130323

TL: 28 x 107 mm

- Li-Ion battery 18650 3.7 V 2000 mAh
- Can be used as a headlamp or a torch
- CREE XML2 LED
- Light intensity 250 Lm
- Colour reproduction 90 CRI
- 3 different light intensity levels + flash + SOS mode
- Stable housing, made of aluminium, copper and stainless steel
- Variable light intensity, 50% | 100%
- Operating time:
 - approx. 2.5 hours at 100% light intensity
 - approx. 4 hours at 50% light intensity
- Charging time approx. 4 hours
- With pocket clip for attachment to bags and belts
- Headband with silicone strips for secure fastening to work helmets
- Magnetic stand
- Charging cable (micro USB) included in the scope of delivery
- Dimensions: 28 x 107 mm
- Weight: 149 g



CREE XML2	28 x 107 mm	250 Lm	Lifetime 30000 h	Akku Li-Ion 2000 mAh 3.7V	kg 149 g
2.5h	AI		micro USB	CRI 90	50 % 100 %

Compact floodlight HUPlight10pro

- Integrated Li-Ion 3.7V / 4.4Ah battery
- 10 watt LED
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 900 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- Approx. 4.75 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 - 240 V AC plug-in power supply (5 V/1A DC)
- 12V KFZ charging cable • Adjustable stand

LED 10W	170 x 121 x 43 mm	900 Lm	Lifetime 30000 h	Akku Li-Ion 4400 mAh 3.7V	100-240V AC - 12-24V DC
IP54	USB	Car	3h	CRI 90	50% 100%
					6500K

Art. no. 130344

LED 10 Watt



Compact floodlight HUPlight20pro

- Integrated Li-Ion 7.4V / 4.4Ah battery
- 20 watt LED
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 1800 Lm luminosity
- Colour rendering 90 CRI (Colour Rendering Index)
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- 5 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 - 240 V AC plug-in power supply (12 V/1A DC)
- 12V KFZ charging cable • Adjustable stand

LED 20W	185 x 135 x 43 mm	1800 Lm	Lifetime 30000 h	Akku Li-Ion 4400 mAh 7.4V	100-240V AC - 12-24V DC
IP54	USB	Car	3h	CRI 90	50% 100%
					6500K

Art. no. 130346

LED 20 Watt



LED floor lamp HUPlight30pro 30 Watt

- Integrated Li-Ion 7.4V / 5.2Ah battery • 30 watt LED
- High-quality and solid housing made of diecast aluminium, with plastic edge protector
- For use inside and out, splashproof according to IP54
- Extremely bright illumination, 6500K colour temperature
- 2500 Lm luminosity • Colour rendering 90 CRI
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 3 hours with 100% light output
 - Approx. 6 hours with 50% light output
- 5 hours charging time using power unit supplied
- Can be used to charge external devices via USB (power bank function)
- Charger: 100 - 240 V AC | plug-in power supply (12 V/1A DC)
- 12V KFZ charging cable • Adjustable stand

Art. no. 130352

LED 30 Watt



LED 30W	185 x 135 x 43 mm	2500 Lm	Lifetime 30000 h	Akku Li-Ion 5200 mAh 7.4V	100-240V AC 12-24V DC
IP54	USB	Car	3h	CRI 90	50% 100%
					6500K



HUPlightpro
Crashtest



Magnet holder for HUPlightR

- Holder for affixing working lamps
- Suitable for Item Nos. 130344, 130346, 130352
- extra strong magnet for flexible mounting

Art. no. 130343

8,5 x 8,5 x 4 cm



haupa®


... convincing solutions

Domed luminaire HUPlight50combi

- integrated Li-Ion 7.4 V / 6.6 Ah battery
- **50 watt LED**
- extremely resistant housing made of highly impact-resistant plastic
- for indoor and outdoor use, protected against splashing water according to IP54
- Extremely bright illumination, colour temperature 6500 K
- Brightness 4000 Lm
- Colour rendering 90 CRI
- Variable light output, 50% | 100%
- Operating time:
 - Approx. 2 hours with 100% light output
 - Approx. 4 hours with 50% light output
- Charging time approx 2.5 hours
- 2x earthed sockets: 220 – 240 V~AC | Max: 3000 W
- Charging/power source of external / other devices
- Cable: 5 Metre H07RN-F 3G1.5mm²
- Hook for mounting and hanging up
- Carrying handle
- Dimensions: Ø 280 x 260 mm

Art. no. 130360

LED 50 Watt




Stand for HUPlight50combi

- Dimensions: 115 x 115 x 300 cm
- Adjustable height maximum 3 m
- Weight: ca. 3,5 kg



Art. no. 130361

Tripod, height 3 m





2x





haupa

HUPlightStripe




Ideal for illuminating building sites, especially building shells! The LED light strip can be simply suspended from the ceiling, e.g. with cable ties, and illuminates the work area evenly. Durable and unbreakable, and can be used without any annoying tripods. Can be stowed away as tidily and compact as a cable drum.



LED light strip HUlightStripe15

- Operating voltage: AC 220 - 240 V 50/60 Hz
- Connected load: 180 W
- Colour: neutral white 4000 K
- 180 LEDs per metre
- Total length 15 m + connecting cable 2,5 m
- Can be extended up to 50 metres by means of plug or screw connections
- 120° radiation angle
- Colour rendering index CRI > 90
- Brightness (luminous flux) 19500 Lm
- Protection class 2
- Also for use outdoors IP65
- Light strip must be completely unrolled before use
- Dimensions light strip: W 16 mm x H 8 mm
- Dimensions drum:
W 286 mm x D 210 mm x H 338 mm




Art. no. 130364

15 m



LED light strip HUlightStripe25

- Operating voltage: AC 220 - 240 V 50/60 Hz
- Connected load: 300 W
- Colour: neutral white 4000 K
- 180 LEDs per metre
- Total length 25 m + connecting cable 2,5 m
- Can be extended up to 50 metres by means of plug or screw connections
- 120° radiation angle
- Colour rendering index CRI > 90
- Brightness (luminous flux) 32500 Lm
- Protection class 2
- Also for use outdoors IP65
- Light strip must be completely unrolled before use
- Dimensions light strip: W 16 mm x H 8 mm
- Dimensions drum:
W 317 mm x D 250 mm x H 385 mm



Art. no. 130366

25 m



haupa

... convincing solutions



Your wholesaler:

(Company stamp)



haupa[®]

... convincing solutions

Germany: HAUPA GmbH & Co. KG, Lange Str. 40, D-42857 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, E-mail: sales@haupa.com
Prices upon request. Errors and technical changes reserved.